



Adsigno Thermoluminescence Laboratory Limited

Tel: (852) 2728-3806 Fax: (852) 2728-3180

Email: adsigno@netvigator.com

Certificate of Authenticity

Object: Pottery Tile with a Court Lady

Date of sample taken: March 29, 2001
Sample taken by: Y. K. Wong

Method of testing: Standard TL Method
Equipment used: Riso TL/OSL System Model DA-15

Position of sampling: Back

Result: Last fired roughly 400-600 years ago.

Expert evaluation*: None

Reference**: None



Date:

Signed

April 11, 2001

Adsigno Thermoluminescence Laboratory Limited

* Expert refers mostly to our in-house expert on early Chinese ceramics. Outside experts from China are consulted from time to time. However, like the TL test itself, we do not guarantee our expert opinion is final.

** The absence of source reference may mean we do not have certain relevant sources of hand, or the item has not been recognized in the literature. The latter is not unusual because many new finds in recent years have exceeded conventional wisdom.

Notes:

1. Adsigno Thermoluminescence Laboratory Limited does not guarantee the test result provided above is final or the result will never be contradicted by that of another laboratory.
2. The test measures the date of last firing, which may differ from the date of manufacture.
3. It is assumed that the object has not been exposed to artificial irradiation.
4. The test result refers only to the part from which samples were taken.